

FRATTI - 15
OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY
ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020





FRATTI - 15
OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY
ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020



FRATTI - 15
OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY
ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020




FIG. 3

FRATTI - 15
OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY
ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020




FIG.

FRATTI - 15 OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020




FIG. 5

FRATTI - 15
OC192 PEAK DETECT CIRCUIT WITH LOW PARASITICS, HIGH DYNAMIC RANGE AND HIGH SENSITIVITY
ATTORNEY: WILLIAM H. BOLLMAN (202) 261-1020

